



LANDING DOORS

Q SERIES E120/ EN 81-58

PRISMA S.P.A

Strada Della Pace 23 ter
I 43055 Mezzani Località Casale
(Pr) Italy
Tel. +39 0521 3164.11
Fax +39 0521 3164.333
e-mail sales@prismaitaly.it
www.prismaitaly.it

INDIA - PRISMA DSA INDUSTRIES PVT. LTD.
sales@prismadsa.com - www.prismadsa.com

IRAN - PRISMA LIFT COMPONENTS LTD.
sales@prismalc.com - www.prismalc.com

SPAIN - PUERTAS PRISMA SL
sales@puertasprisma.es - www.puertasprisma.es

INSTALLATION LAYOUT



CERTIFIED ISO 9001:2008



INDEX


FRAME PLACE REQUIREMENT	03
FIXING CALFEUTREMENT	05
CERTIFICATES	07
L2C SMALL	11
L2C	15
L2S/R-L SMALL	19
L2S/R-L	23
L3S/R-L SMALL	27
L3S/R-L	31
L4C SMALL	35
L4C	39
L6C SMALL	43
L6C	47

FRAME PLACE REQUIREMENT

FRAME PLACE REQUIREMENT


WITHOUT COATING

DOOR HEADER




WITH COATING


DOOR HEADER



SIDE POSTS




SIDE POSTS



FIXING CALFEUTREMENT

FIXING CALFEUTREMENT



CERTIFICATES

CERTIFICATES

Door type / Tipo porta

L2C

Classe / Class

E120

Fire certified range / Gamma certificata al fuoco

CO / CH	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300	3400	3500	3600	3700	3800	3900	4000	4100	4200	4300	4400	4500
500/550																										
600/650																										
700/750																										
800/850																										
900/950																										
1000																										
1100																										
1200																										
1300																										
1400																										
1500																										
1600																										
1700																										
1800																										
1900																										
2000																										

Door type / Tipo porta

L2S/R-L

Classe / Class

E120

Fire certified range / Gamma certificata al fuoco

CO / CH	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300	3400	3500	3600	3700	3800	3900	4000	4100	4200	4300	4400	4500
500/550																										
600/650																										
700/750																										
800/850																										
900/950																										
1000																										
1100																										
1200																										
1300																										
1400																										
1500																										
1600																										
1700																										
1800																										
1900																										
2000																										

Door type / Tipo porta

L3S/R-L

Classe / Class

E120

Fire certified range / Gamma certificata al fuoco

CO / CH	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300	3400	3500	3600	3700	3800	3900	4000	4100	4200	4300	4400	4500
500/550																										
600/650																										
700/750																										
800/850																										
900																										
1000																										
1050/1150																										
1200																										
1300																										
1350/1450																										
1500																										
1600																										
1700																										
1800																										
1900																										
2000																										
2100																										

CERTIFICATES

Door type / Tipo porta

L4C

Classe / Class

E120

Fire certified range / Gamma certificata al fuoco



CO / CH	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300	3400	3500	3600	3700	3800	3900	4000	4100	4200	4300	4400	4500
650/850																										
900/950																										
1000-1150																										
1200/1300																										
1400																										
1500																										
1600																										
1700																										
1800																										
1900																										
2000																										
2100																										
2200																										
2300																										
2400																										
2500																										
2600																										
2700																										
2800																										
2900																										
3000																										
3100																										
3200																										
3300																										
3400																										
3500																										
3600																										
3700																										
3800																										
3900																										
4000																										

Door type / Tipo porta

L6C

Classe / Class

E120


Fire certified range / Gamma certificata al fuoco




CO / CH	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300	3400	3500	3600	3700	3800	3900	4000	4100	4200	4300	4400	4500
900																										
1000																										
1100																										
1200																										
1300																										
1350/1500																										
1550/1750																										
1800																										
1900																										
2000																										
2100																										
2200																										
2300																										
2400																										
2500																										
2600																										
2700																										
2800																										
2900																										
3000																										
3100																										
3200																										
3300																										
3400																										
3500																										
3600																										
3700																										
3800																										
3900																										
4000																										

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

L2C SMALL




FRONT OVERALL DIMENSIONS



L2C

**A 500 - 550
SMALL**



* Pag. 4

A	500	550
C	1118	1168
D	900	900
F	220	245
S2	NR.3	

H	2000	2100	2200	2300	2400	2500	2600
Z	400	420	366	383	400	416	433
S3	NR.5		NR.6				

* Pag. 6

**COD. 270000M048
STANDARD**

**COD. 270000M367
OPTIONAL**

min. 20

min. 75 - MAX 90

16 - 25

20

40

258

200

15

435 ± 48.5

260

5

45

80*

* Pag. 4

0.00

65

35

43.5

153.5 ± 48.5

350

min. 20

H (STANDARD 2000)

15

367.5 ± 21

432.5 ± 21

50


131 ± 21

196 ± 21


min. 75 - MAX 90

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

L2C




FRONT OVERALL DIMENSIONS



L2C

A 600 - 2000




A	600	650	700	750	800	850	900	950	1000	1050	1100	1150	1200	1250	1300	1350	1400	1450	1500	1550	1600	1650	1700	1750	1800	1850	1900	1950	2000
C	1318	1368	1502	1552	1708	1758	1908	1958	2108	2158	2308	2358	2508	2558	2708	2758	2908	2958	3108	3158	3308	3358	3508	3558	3708	3758	3908	3958	4108
D	900	900	1270	1270	1270	1270	1670	1670	1670	1670	2070	2070	2070	2070	2470	2470	2470	2470	2870	2870	2870	2870	3270	3270	3270	3270	3670	3670	3670
G	250	300	350	400	450	500	550	600	325	350	375	400	425	450	475	500	525	366	383	400	416	433	450	466	483	500	387	400	412
S1	NR.2								NR.3								NR.4								NR.5				
F	270	295	320	345	370	395	420	445	313	330	346	363	380	396	413	430	447	347	360	372	385	397	410	422	435	447	368	378	388
S2	NR.3								NR.4								NR.5								NR.6				

H	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300
Z	400	420	366	383	400	416	433	385	400	414	428	442	457	412
S3	NR.5			NR.6			NR.7						NR.8	




Pag. 6

TOP-BOTTOM FIXING BRACKETS, SIDE OVERALL DIMENSIONS




L2C


A 600 - 2000




This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

L2S SMALL





**A 500 - 550
SMALL**



A	500	550
C	769	819
D	723	723
F	220	245
\$2	NR.3	

H	2000	2100	2200	2300	2400	2500	2600
Z	400	420	366	383	400	416	433
S3	NR.5		NR.6				



Technical drawing of the COD. 270000M367 STANDARD door profile, showing cross-sections and dimensions.

Cross-section 1 (Left):

- Top dimensions: $\min. 20$, $16 - 25$, 20 , 40 .
- Vertical dimensions: 258 , 200 , 367.5 ± 21 , 432.5 ± 21 .
- Internal dimensions: 36 , 36 , 60^* , 5 , 5 .
- Bottom dimensions: 350 , 65 , 35 , 131 ± 21 , 196 ± 21 .
- Reference: 0.00 .
- Material: $\min. 20$.

Cross-section 2 (Right):


- Top dimensions: $\min. 75 - \text{MAX } 120$.
- Internal dimension: 15 .
- Bottom dimensions: 90 , $\min. 75 - \text{MAX } 120$.

Annotations:

- COD. 270000M367 STANDARD** (repeated for both sections).
- H (STANDARD 2000)** (vertical dimension label).
- * Pag. 4** (reference to another page).
- 260** (dimension in a circle with a triangle pointing to it).

This image shows a full page of blank, lined paper. It features approximately 28 horizontal blue or grey lines spaced evenly apart, typical of notebook paper. The lines extend across the entire width of the page, leaving small margins at the top and bottom. There are no vertical lines, text, or other markings on the page.

L2S




FRONT OVERALL DIMENSIONS



L2S /R-L

A 600 - 2000




A	600	650	700	750	800	850	900	950	1000	1050	1100	1150	1200	1250	1300	1350	1400	1450	1500	1550	1600	1650	1700	1750	1800	1850	1900	1950	2000
C	919	969	1061	1111	1214	1264	1364	1414	1514	1564	1664	1714	1814	1864	1964	2014	2114	2164	2264	2314	2414	2464	2564	2614	2714	2764	2864	2914	3014
D	723	915	915	915	915	1210	1210	1210	1210	1510	1510	1510	1510	1810	1810	1810	1810	2110	2110	2110	2110	2410	2410	2410	2410	2710	2710	2710	2710
G	250	300	350	400	450	500	550	600	325	350	375	400	425	450	475	500	525	367	383	400	417	433	450	467	483	500	388	400	413
S1	NR.2								NR.3								NR.4								NR.5				
F	270	295	320	345	370	395	420	445	313	330	346	363	380	396	413	430	447	347	360	372	385	397	410	422	435	447	368	378	388
S2	NR.3								NR.4								NR.5								NR.6				

H	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300
Z	400	420	366	383	400	416	433	385	400	414	428	442	457	412
S3	NR.5		NR.6				NR.7							NR.8


* Pag. 6

TOP-BOTTOM FIXING BRACKETS, SIDE OVERALL DIMENSIONS



L2S / R-L

A 600 - 2000




This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

L3S SMALL




FRONT OVERALL DIMENSIONS



L3S /R-L

**A 500 - 850
SMALL**




* Pag. 4

Special solutions								
A	500	550	600	650	700	750	800	850
C	719	769	819	869	944	994	1069	1119
D	685	685	765	765	765	940	940	940
G	150	200	250	300	350	400	450	500
S1	NR.2							
F	220	245	270	295	320	345	370	395
S2	NR.3							

* Pag. 6


H	2000	2100	2200	2300	2400	2500	2600
Z	400	420	366	383	400	416	433
S3	NR.5		NR.6				

TOP-BOTTOM FIXING BRACKETS, SIDE OVERALL DIMENSIONS



L3S /R-L

**A 500 - 850
SMALL**



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

L3S




[illegible]


A	900	950	1000	1050	1100	1150	1200	1250	1300	1350	1400	1450	1500	1550	1600	1650	1700	1750	1800	1850	1900	1950	2000	2050	2100
C	1219	1269	1319	1411	1461	1511	1614	1664	1714	1814	1864	1914	2014	2064	2114	2214	2264	2314	2414	2464	2514	2614	2664	2714	2814
D	1187	1187	1187	1379	1379	1379	1571	1571	1571	1763	1763	1763	1955	1955	1955	2147	2147	2147	2339	2339	2339	2531	2531	2531	2723
G	550	600	325	350	375	400	425	450	475	500	525	367	383	400	417	433	450	467	483	500	388	400	413	425	438
S1	NR.2			NR.3									NR.4									NR.5			
F	420	445	313	330	347	363	380	397	413	430	447	348	360	373	385	398	410	423	435	448	368	378	388	398	408
S2	NR.3			NR.4									NR.5									NR.6			

H	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300
Z	400	420	366	383	400	416	433	385	400	414	428	442	457	412
S3	NR.5		NR.6					NR.7						NR.8

TOP-BOTTOM FIXING BRACKETS, SIDE OVERALL DIMENSIONS



A 900 - 2100




This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

L4C SMALL




FRONT OVERALL DIMENSIONS



L4C

A 650 - 1150 SMALL




A	650	700	750	800	850	900	950	1000	1050	1100	1150
C	1168	1218	1268	1318	1368	1468	1518	1618	1668	1718	1768
D	1030	1030	1030	1030	1030	1330	1330	1330	1330	1330	1330
G	300	350	400	450	500	550	600	325	350	375	400
S1	NR.2							NR.3			
F	295	320	345	370	395	420	445	313	330	346	363
S2	NR.3							NR.4			

H	2000	2100	2200	2300	2400	2500	2600
Z	400	420	366	383	400	416	433
S3	NR.5		NR.6				

*  Pag. 4


 Pag. 7

TOP-BOTTOM FIXING BRACKETS, SIDE OVERALL DIMENSIONS



L4C

**A 600 - 1150
SMALL**




This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

L4C




FRONT OVERALL DIMENSIONS



L4C

A 1200 - 4000




A	1200	1250	1300	1350	1400	1450	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300	3400	3500	3600	3700	3800	3900	4000
C	1918	1968	2018	2068	2202	2252	2302	2508	2608	2808	2908	3108	3208	3408	3508	3708	3808	4008	4108	4308	4408	4608	4708	4908	5008	5208	5308	5508	5608	5808	5908	6108
D	1496	1496	1880	1880	1880	1880	1880	1880	2470	2470	2470	2470	3070	3070	3070	3070	3670	3670	3670	3670	4270	4270	4270	4270	4870	4870	4870	4870	5470	5470	5470	5470
G	425	450	475	500	525	366	383	416	450	483	387	412	437	462	487	410	430	450	470	408	425	441	458	475	421	435	450	464	418	431	443	456
S1	NR.3				NR.4				NR.5				NR.6				NR.7				NR.8				NR.9							
F	380	396	413	430	447	347	360	385	410	435	368	388	408	428	448	390	406	423	440	391	405	420	434	448	405	418	430	443	404	416	427	438
S2	NR.4				NR.5				NR.6				NR.7				NR.8				NR.9				NR.10							

H	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300
Z	400	420	366	383	400	416	433	385	400	414	428	442	457	412
S3	NR.5		NR.6					NR.7					NR.8	

Pag. 4


Pag. 7

TOP-BOTTOM FIXING BRACKETS, SIDE OVERALL DIMENSIONS



L4C

A 1200 - 4000



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

L6C SMALL




L6C

[illegible]

A	900	950	1000	1050	1100	1150	1200	1250	1300	1350	1400	1450	1500	1550	1600	1650	1700	1750
C	1418	1468	1518	1568	1618	1668	1718	1768	1818	1918	1968	2018	2118	2168	2218	2268	2318	2368
D	1209	1209	1209	1401	1401	1401	1593	1593	1593	1785	1785	1785	1977	1977	1977	2169	2169	2169
G	550	600	325	350	375	400	425	450	475	500	525	366	383	400	416	433	450	466
S1	NR2		NR.3									NR.4						
F	420	445	313	330	347	363	380	397	413	430	447	348	360	373	385	398	410	423
S2	NR.3		NR.4									NR.5						


H	1900	2000	2100	2200	2300	2400	2500	2600
Z	380	400	420	366	383	400	416	433
S3	NR.5			NR.6				

TOP-BOTTOM FIXING BRACKETS, SIDE OVERALL DIMENSIONS



L6C

**A 900 - 1750
SMALL**




This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

L6C




FRONT OVERALL DIMENSIONS



L6C

A 1800 - 4000



A	1800	1900	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300	3400	3500	3600	3700	3800	3900	4000
C	2518	2618	2718	2902	3002	3102	3308	3408	3508	3708	3808	3908	4108	4208	4308	4508	4608	4708	4908	5008	5108	5308	5408
D	2424	2424	2424	2808	2808	2808	3192	3192	3192	3576	3576	3576	3960	3960	3960	4344	4344	4344	4728	4728	4728	5112	5112
G	483	387	412	437	462	487	410	430	450	470	408	425	441	458	475	421	435	450	464	418	431	443	456
S1	NR.4	NR.5				NR.6				NR.7				NR.8				NR.9					
F	435	368	388	408	428	448	390	407	423	440	391	406	420	434	449	405	418	430	443	405	416	427	438
S2	NR.5	NR.6				NR.7				NR.8				NR.9				NR.10					


H	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000	3100	3200	3300
Z	400	420	366	383	400	416	433	385	400	414	428	442	457	412
S3	NR.5		NR.6			NR.7				NR.8				

For half sizes please take the price of the following full clear opening




Pag. 7

TOP-BOTTOM FIXING BRACKETS, SIDE OVERALL DIMENSIONS



L6C

A 1800 - 4000





PRISMA IN THE WORLD



ITALY - PRISMA S.p.A.
sales@prismaitaly.it - www.prismaitaly.it



IRAN - PRISMA LIFT COMPONENTS LTD.
sales@prismalc.com - www.prismalc.com



INDIA - PRISMA DSA INDUSTRIES PVT. LTD.
sales@prismadsa.com - www.prismadsa.com



SPAIN - PUERTAS PRISMA SL
sales@puertasprisma.es - www.puertasprisma.es