



LANDING DOORS

SE SERIES

PRISMA S.P.A

Strada Della Pace 23 ter
I 43055 Mezzani Località Casale
(Pr) Italy
Tel. +39 0521 3164.11
Fax +39 0521 3164.333
e-mail sales@prismaitaly.it
www.prismaitaly.it

INDIA - PRISMA DSA INDUSTRIES PVT. LTD.
sales@prismadsa.com - www.prismadsa.com

IRAN - PRISMA LIFT COMPONENTS LTD.
sales@prismalc.com - www.prismalc.com

SPAIN - PUERTAS PRISMA SL
sales@puertasprisma.es - www.puertasprisma.es

INSTALLATION LAYOUT



INDEX**CERTIFICATES TABLE**□□ **03** □□**L2C**□□ **05** □□**L2S/R-L**□□ **09** □□

CERTIFICATES


CERTIFICATES TABLEFattibile / *Feasible* Door type / *Tipo porta* **ITALIA**Sospensione / *Hanger* **SE**

CO / CH	2000	2100	2200	2300	2400
600/650					
700/750					
800/850					
900/950					
1000/1050					
1100					


Fattibile / *Feasible* Door type / *Tipo porta* **E120**Sospensione / *Hanger* **SE**

CO / CH	2000	2100	2200	2300	2400
600/650					
700/750					
800/850					
900/950					
1000/1050					
1100					

L2C




FRONT OVERALL DIMENSIONS ITALIAN STANDARD



L2C

A 600 - 1100



A	600	650	700	750	800	850	900	950	1000	1050	1100
C	1326	1376	1426	1576	1626	1776	1826	1976	2026	2176	2226
G	720	770	820	870	920	970	1020	1070	1120	1170	1220

H	2000	2100
---	------	------




Pag. 4



[illegible]

A	600	650	700	750	800	850	900	950	1000	1050	1100
C	1326	1376	1426	1576	1626	1776	1826	1976	2026	2176	2226
G	720	770	820	870	920	970	1020	1070	1120	1170	1220


H	2000	2100
---	------	------

TOP-BOTTOM FIXING BRACKETS, SIDE OVERALL DIMENSIONS

L2C

A 600 - 1100


L2S





L2S/R-L

A 600 - 1100



A	600	650	700	750	800	850	900	950	1000	1050	1100
C	943	993	1093	1143	1243	1293	1393	1443	1543	1593	1693
G	720	770	820	870	920	970	1020	1070	1120	1170	1220

H	2000	2100
---	------	------



Pag. 4

Technical drawing of the EKO 1500 cabinet, showing front, side, and detail views with dimensions and labels.

Front View Dimensions:

- Overall width: C
- Overall height: H
- Internal width: A
- Internal height: $1,5A + 47,5$
- Top panel thickness: 176
- Bottom panel thickness: 170
- Side panel thickness: 175
- Top panel depth: 1
- Side panel depth: 175
- Bottom panel depth: 175

Side View Dimensions:

- Overall width: $1,5A + 55$
- Overall height: H
- Internal width: A
- Internal height: $1,5A + 47,5$
- Top panel thickness: 176
- Bottom panel thickness: 170
- Side panel thickness: 175
- Bottom panel depth: 175

Detail Views:

- Top Panel Detail:** Shows the top panel with a depth of 1 and a width of 175 . The top panel is labeled R .
- Side Panel Detail:** Shows the side panel with a depth of 175 and a width of 175 . The side panel is labeled R .
- Bottom Panel Detail:** Shows the bottom panel with a depth of 175 and a width of 175 . The bottom panel is labeled R .
- Door Detail:** Shows the door with a depth of 175 and a width of 175 . The door is labeled R .
- Lock Detail:** Shows the lock mechanism with a depth of 175 and a width of 175 . The lock is labeled R .
- Handle Detail:** Shows the handle with a depth of 175 and a width of 175 . The handle is labeled R .
- Drawer Detail:** Shows the drawer with a depth of 175 and a width of 175 . The drawer is labeled R .
- Top Panel Detail:** Shows the top panel with a depth of 1 and a width of 175 . The top panel is labeled R .
- Side Panel Detail:** Shows the side panel with a depth of 175 and a width of 175 . The side panel is labeled R .
- Bottom Panel Detail:** Shows the bottom panel with a depth of 175 and a width of 175 . The bottom panel is labeled R .
- Door Detail:** Shows the door with a depth of 175 and a width of 175 . The door is labeled R .
- Lock Detail:** Shows the lock mechanism with a depth of 175 and a width of 175 . The lock is labeled R .
- Handle Detail:** Shows the handle with a depth of 175 and a width of 175 . The handle is labeled R .
- Drawer Detail:** Shows the drawer with a depth of 175 and a width of 175 . The drawer is labeled R .


Labels:

- C : Overall width
- H : Overall height
- A : Internal width
- $1,5A + 47,5$: Internal height
- $1,5A + 55$: Overall width (side view)
- 176 : Top panel thickness
- 170 : Bottom panel thickness
- 175 : Side panel thickness
- 1 : Top panel depth
- 175 : Side panel depth
- 175 : Bottom panel depth
- R : Top panel
- R : Side panel
- R : Bottom panel
- R : Door
- R : Lock
- R : Handle
- R : Drawer
- $COD. 39000116$: Lock mechanism
- 120 (95 OPTIONAL): Side panel depth
- 140 : Side panel depth
- 135 : Side panel depth
- 75 : Side panel depth
- 25 : Side panel depth
- 38 : Side panel depth
- E : Side panel
- M : Side panel

A	600	650	700	750	800	850	900	950	1000	1050	1100
C	943	993	1093	1143	1243	1293	1393	1443	1543	1593	1693
G	720	770	820	870	920	970	1020	1070	1120	1170	1220


H	2000	2100
---	------	------

TOP-BOTTOM FIXING BRACKETS, SIDE OVERALL DIMENSIONS



L2S/R-L

A 600 - 1100



This image shows a full page of blank, lined paper. It features approximately 28 horizontal blue or grey lines spaced evenly apart, typical of notebook paper. The lines extend across the entire width of the page, leaving small margins at the top and bottom. There are no vertical lines, text, or other markings on the page.



PRISMA IN THE WORLD



ITALY - PRISMA S.p.A.
sales@prismaitaly.it - www.prismaitaly.it



IRAN - PRISMA LIFT COMPONENTS LTD.
sales@prismalc.com - www.prismalc.com



INDIA - PRISMA DSA INDUSTRIES PVT. LTD.
sales@prismadsa.com - www.prismadsa.com



SPAIN - PUERTAS PRISMA SL
sales@puertasprisma.es - www.puertasprisma.es